



# COWPEA SOLUTIONS

# LAND CLEARING



Use any of our land clearing herbicide (Sarosate, Gobara, Slasher, SlashaGold) at the recommended dose rate to kill existing weeds on the farm

## PRE-EMERGENCE: BUSTER

A.I: Butachlor 60EC

Pack Size: 500ml and 1L

Dose Rate: 3L/ha

Time of Application: Immediately after planting

Description: Control of grasses and broadleaf weed



## POST-EMERGENCE

### TWIG

A.I: Imazethapyr 700g/kg WDG

Pack Size: 10g

Dose Rate: 100g/ha

Description: Control of annual & perennial grasses & broadleaf weeds




A.I: Haloxyfop-R-methyl ester 104gm/l EC

Pack Size: 0.9lt

Dose Rate: 0.9lt/ha

Description: Control of annual & perennial grass weeds



### GALLANT SUPER

*NOTE: Apply post-emergence product when weeds are 3-4leaf stage and actively growing*

# INSECTICIDE

## CYPERTEX

A.I: Cypermethrin 100g/l  
EC

Pack Size: 1lt

Dose Rate: 500ml/ha



## KOMBAT

A.I: Lambda Cyhalothrin  
2.5EC

Pack Size: 1lt and 250ml

Dose Rate: 800ml - 1L/ha



## SOLITEX

A.I: Chlorpyrifos 200g/l  
EC

Pack Size: 250ml & 1L

Dose Rate: 2L/ha



## STING

A.I: Lambda cyhalothrin 15g/l  
+ Dimethoate 30g/l EC

Pack Size: 250ml & 1L

Dose Rate: 1L/ha

## VANGUISH

A.I: Lambda cyhalothrin 15g/l  
+ Acetamiprid 30g/l EC

Pack Size: 1L and 250ml

Dose Rate: 1L/ha



**Products Application:**  
Apply at the onset of  
insect infestation

# FUNGICIDE: BLUESNOW

A.I: Azoxystrobin 200g/l + Difenoconazole 125g/l SC

Pack Size: 250ml

Dose Rate: 500ml/ha

Time of Application: Apply at first sign of disease

Description: For control of leaf blight, leaf spot, leaf blast  
and rust in Maize

