



# MAIZE SOLUTIONS

# LAND CLEARING



- Use any of our land clearing herbicide (**Sarosate, Gobara, Slasher, SlashaGold**) at the recommended dose rate to kill existing weeds on the farm
- Prepare field using standard land preparation practices and ensure to plant (SC719,SC645) at recommended spacing

## Pre - Emergence: VIGOR

A.I: Terbutylazine 125g/l + S-Metolachlor 375g/l + Mesotrione 37.5g/l SE

Pack Size: 1L

Dose Rate: 4L/ha

Time of Application: Apply within 24hrs after planting on wet soil

Description: Pre-emergence herbicide for the control of grasses, broadleaves and sedges weed with up to 8-12 weeks weed and residual control



## Post - Emergence: STRIKER

A.I: Nicosulfuron 40g/ltr OD

Pack Size: 1L. 500ml

Dose Rate: 1.5L/ha

Time of Application: Apply when weeds are 3-4 leaf stage

Description: A post-emergence herbicide for control of annual and perennial grass, broadleaf weeds



# INSECTICIDES

## KARE

A.I: Emamectin benzoate  
10% + Lufenuron 20% EC

Pack Size: 250ml

Dose Rate: 250ml/ha

Description: Systemic and contact insecticide for the control of adult & larva stage of armyworm



## HALLAKAT

A.I: Acetamiprid 64g/l + Emamectin benzoate 48g/l EC

Pack Size: 100ml and 250ml

Dose Rate: 250ml/ha

Description: Effective control of armyworm at all stages, aphids, leafhoppers, whitefly



## VANGUISH

A.I: Lambda cyhalothrin 15g/l + Acetamiprid 30g/l EC

Pack Size: 1L and 250ml

Dose Rate: 1Lt/ha

Description: Systemic and contact with broad spectrum control of insect pests



### NOTE:

*For insect control, alternate insecticide product for resistance management  
Apply at the onset of insect infestation and when build-up of insect is seen*