



# RICE SOLUTIONS

# LAND CLEARING



Use any of our land clearing herbicide (**Sarosate, Gobara, Slasher, SlashaGold**) at the recommended dose rate to kill existing weeds on the farm

## PRE-EMERGENCE

### HEDGE

A.I: Oxadiargyl 80WG

Pack Size: 10g

Dose Rate: 100g/ha

Description: For the control of broadleaf, sedges and grasses



A.I: Butachlor 60EC

Pack Size: 500ml & 1L

Dose Rate: 3L/ha

Description: Control of grasses & broadleaf weed

### BUSTER

*Time of Application:*

*Apply immediately after planting, within 24 hours*

# POST-EMERGENCE

## ACTROX

A.I: Penoxsulam 10g/l+ Cylahofop butyl 50g/l OD

Pack Size: 500ml

Dose Rate: 1.5L/ha

Description: Control of broadleaf, sedges and grass weed



A.I: Sodium Bispyribac 100g/l SC

Pack Size: 100ml, 250ml

Dose Rate: 300ml/ha

Description: Control of grasses, sedges & broadleaves

## NOMINEE GOLD

## SELECT

A.I: 2,4D Amine 720g/l SL

Pack Size: 1L

Dose Rate: 1.5L/ha

Description: Control of annual and perennial broad-leaf weeds



A.I: Penoxsulam 108g/l OD

Pack Size: 250ml

Dose Rate: 1L/ha

Description: Control of grasses, broadleaves, sedges in irrigated & lowland rice

## RAINBOW

*NOTE: Apply post-emergence product when weeds are 3-4 leaf stage and actively growing*

# INSECTICIDES

A.I: Acetamiprid 64g/l + Emamectin benzoate 48g/l EC

Pack Size: 100ml and 250ml

Dose Rate: 250ml/ha

**HALLAKAT**



**FIPRO**

A.I: Fipronil 5% SC

Pack Size: 250ml

Dose Rate: 1L/ha

A.I: Lambda cyhalothrin 15g/l + Acetamiprid 30g/l EC

Pack Size: 1L and 250ml

Dose Rate: 1L/ha

**VANGUISH**



## Products Application:

Apply at the onset of insect infestation

# FUNGICIDE: BLUESNOW

A.I: Azoxystrobin 200g/l + Difenoconazole 125g/l SC

Pack Size: 250ml

Dose Rate: 500ml/ha

Time of Application: Apply at first sign of disease

Description: For control of leaf blight, leaf spot, leaf blast and rust in Maize

